Publications

- WEBER, H., ANTOVIC, D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Bioinspired, biodegradable polyurethane coatings - Protecting flooring and the environment
  rationell reinigen 10 (2024), 62-63
- SCHABLITZKI, T., NEUMANN-SCHMIDT, T., SPETTMANN, D., BOHNEN, J.
  Dry ice blasting process for water-free, hygienic dish-washing
  wfk news 5 (2024), 6-8
- SCHABLITZKI, T., SPETTMANN, D., BOHNEN, J.
  Plasma-activated ice particles for façade cleaning and disinfection
  wfk news 5 (2024), 3-5
- SCHABLITZKI, T., SPETTMANN, D., BOHNEN, J.
  Plasma-activated ice particles for façade cleaning and disinfection
  FRT Information 3 (2024), 3-5
- BEDNARZICK, U., HEUVEL, F., SCHMIDT, A.-C., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  AIE-active photosensitizers for monitoring and minimization of microbial contamination in dampening solutions
  FRT Information 3 (2024), 9-11
- SCHABLITZKI, T., NEUMANN-SCHMIDT, T., SPETTMANN, D., BOHNEN, J.
  Dry ice blasting process for water-free, hygienic dish-washing
  FRT Information 3 (2024), 6-8
- CASPER, P., WILHELM, S., SPETTMANN, D., BOHNEN, J.
  Special enzymes for the degradation of hydrocarbons – Swallowed up - oil-eating bacteria
  rationell reinigen 9 (2024), 52-53
- WILHELM, S., CASPER, P., SPETTMANN, D., BOHNEN, J.
  Biological degradation of specifically designed polyacrylates
  wfk news 4 (2024), 9-11
- CASPER, P., WILHELM, S., SPETTMANN, D., BOHNEN, J.
  Special enzymes for the degradation of hydrocarbons - and their exemplary application in washing and cleaning processes
  wfk news 4 (2024), 6-8
- WILHELM, S., CASPER, P., SPETTMANN, D., BOHNEN, J.
  Biodegradation of specially designed polyacrylates – Predetermined breaking points in a care dispersion
  rationell reinigen 7 (2024), 38-39
- WEBER, H., ANTOVIC, D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  From nature for nature: bio-inspired polyurethane coatings and their application on resilient floor coverings
  wfk news 3 (2024), 6-8

- TASKIN, H., NEUMANN-SCHMIDT, T., HLOCH, H.G., BOHNEN, J.
  Acoustomechanic cleaning of textile floorings – Metallic yarns and shock waves
  rationell reinigen 5 (2024), 48-49
- BEDNARZICK, U., HEUVEL, F., SCHMIDT, A.-C., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Microbial contamination in dampening solutions – When it lights up, turn the light on
  rationell reinigen 4 (2024), 62-63
- FRIEDRICH, T., SPETTMANN, D., KREDEL, A., BOHNEN, J.
  Sustainable surface hygiene due to antimicrobial self-assembling systems
  wfk news 2 (2024), 9-11
- FRIEDRICH, T., SPETTMANN, D., KREDEL, A., BOHNEN, J.
  Sustainable surface hygiene due to antimicrobial self-assembling systems
  FRT Information 2 (2024), 6-8
- WEBER, H., ANTOVIC, D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  From nature for nature: bio-inspired polyurethane coatings and their application on resilient floor coverings
  FRT Information 2 (2024), 6-8
- CASPER, P., SPETTMANN, D., BOHNEN, J.
  Special enzymes for the degradation of hydrocarbons – and their exemplary application in washing and cleaning processes
  FRT Information 2 (2024), 3-5
- TULINSKI M., WEHRL M., BOHNEN J.
  At-site quantification of fibrin residues on medical instruments - you can see if there is really nothing stuck to it when no light is on
  rationell reinigen 3 (2024), 48-49
- TULINSKI M., WEHRL M., BOHNEN J.
  At-site quantification of fibrin residues on medical instruments
  FRT Information 1 (2024), 3-5
- HEUVEL, F., HERMSEN, A., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Floorcare coatings for automated determination of coating quality - Small particles big effect
  rationell reinigen 2 (2024), 52-53
- SCHABLITZKI, T., WILHELM, S., SPETTMANN, D., BOHNEN, J.
  Bioimpedimetric monitoring of disinfection processes - polarizing germs
  rationell reinigen 1 (2024), 48-49
- ERKELENZ, S., SPETTMANN, D., BOHNEN, J.
  Immobilizable scorpion primers for the detection of viral pathogens - When the scorpion turns the light on the virus
  rationell reinigen 12 (2023), 37-39

- BEDNARZICK, U., HEUVEL, F., SCHMIDT, A.-C., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  AIE-active photosensitizer for monitoring and minimization of microbial contamination in dampening solutions
  wfk news 6 (2023), 3-5
- SCHMIDT, A., ANTOVIC, D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Bio-inspired coatings against hospital pathogens
  rationell reinigen 10 (2023), 50-51
- ERKELENZ, S., SPETTMANN, D., BOHNEN, J.
  Immobilizable Scorpion Primers for detection of viral pathogens
  wfk-news 5 (2023), 9-11
- SCHABLITZKI, T., SPETTMANN, D., BOHNEN, J.
  Development of filters against plastic emissions - A cage full of microplastics
  rationell reinigen 9 (2023), 78-79
- TULINSKI M., WEHRL M., BOHNEN J.
  Catch-sweep fluorescence indicator for continuous monitoring of the microbial status of wipe dispenser systems
  CMS, Berlin, September 2023
- TULINSKI M., WEHRL M., BOHNEN J.
  At-site quantification of fibrin residues on medical instruments
  CMS, Berlin, September 2023
- SCHMIDT, A., ANTOVIC, D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Sustainable hygiene -peptide mimetics
  FRT information 3 (2023), 6-8
- SCHABLITZKI, T., SPETTMANN, D., BOHNEN, J.
  Dielectrophoretic filters for particle separation and their exemplary application for the removal of microplastics from wastewater generated in the cleaning industry
  FRT Information 3 (2023), 3-5
- WEBER, H., ANTOVIC, D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Bioinspired polyurethane coatings
  wfk-news 4 (2023), 9-11
- TASKIN, H., NEUMANN-SCHMIDT, T., HLOCH, H.G., BOHNEN, J.
  Acousto-mechanical cleaning of textile floorings based on metallic helical yarns
  FRT Information 3 (2023), 9-11
- SCHMIDT, A., ANTOVIC, D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Sustainable hygiene -peptide mimetics
  FRT information 3 (2023), 6-8

- SCHABLITZKI, T., SPETTMANN, D., BOHNEN, J.
  Dielectrophoretic filters for particle separation and their exemplary application for the removal of microplastics from wastewater generated in the cleaning industry
  FRT Information 3 (2023), 3-5
- SCHABLITZKI, T., SPETTMANN, D., BOHNEN, J.
  Developing filters against plastic emissions - A cage full of microplastics
  rationell reinigen 9 (2023), 78-79
- PAULHEIM, HEUVEL, F., A., HLOCH, H.G., SPETTMANN, D., BOHNEN, J.
  Inverse Streamer-Corona-Entladung zur Trockendesinfektion textiler Bodenbeläge mit Elektrodenflor / Inverse streamer corona discharge for dry disinfection of textile floor coverings with electrode pile
  Flyer, CMS Berlin, 2023
- WEBER, H., ANTOVIC, D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Bioinspired polyurethane coatings
  wfk-news 4 (2023), 9-11
- TASKIN, H., SPETTMANN, D., HLOCH, H.G., BOHNEN, J.
  Slip resistance and artificial intelligence
  wfk news 4 (2023), 6-8
- WILHELM, S., SPETTMANN, D., BOHNEN, J.
  Biological degradation of specifically designed polyacrylates
  wfk news 3 (2023), 9-11
- BEDNARZICK, U., SCHMIDT, A.-C., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Hydrochromic surfactant systems for controlling surface wetting in cleaning and disinfection processes
  wfk-news 3 (2023), 6-8
- PIEPER, F., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Thermosolubilizable hydrophobic coating systems
  wfk-news 3 (2023), 3-5
- TASKIN, H., SPETTMANN, D., HLOCH, H.G., BOHNEN, J.
  Slip resistance and artificial intelligence
  FRT-Information 2 (2023), 6-8
- WEBER, H., ANTOVIC, D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Bioinspired polyurethane coatings
  FRT information 2 (2023), 3-5
- ANTOVIC, D., WEBER, H., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Bioinspired polyurethane coatings - From nature for nature
  rationell reinigen 6 (2023), 38-40

- TASKIN, H., SPETTMANN, D., HLOCH, H.G., BOHNEN, J.
  Slip-resistance and Artificial Intelligence – A new approach to slip accident prevention
  rationell reinigen 5 (2023), 50-51
- SAEBELFELD, M, SPETTMANN, D., BOHNEN, J.
  Fluorescence quantification of bacterial endospores
  wfk-news 2 (2023), 3-5
- SCHMIDT, A.-C., BEDNARZICK, U., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Visual control of surface wetting
  rationell reinigen 4 (2023), 56-57
- FRIEDRICH, T., PIEPER, F., SPETTMANN, D., KREDEL, A., BOHNEN, J.
  Coatings for thermal insulation systems - Façade protection with temperature switch
  rationell reinigen 3 (2023), 46-47
- PIEPER, F., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Thermosolubilizable hydrophobic coating systems
  FRT information 1 (2023), 9-12
- SCHMIDT, A., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Hydrochromic surfactant systems for controlling surface wetting in cleaning and disinfection processes
  FRT information 1 (2023), 6-8
- PIEPER, F., SCHMIDT, A., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Brilliant cleanliness thanks to nanocrystals
  WRP 2 (2023), 44
- HINTZMANN, M., SCHMIDT, A., ANTOVIC, D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Bioinspired coatings to improve hygienic safety
  wfk-news 1 (2023), 9-11
- SCHMIDT, A., PIEPER, F., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Soil release coating for textile floor coverings based on directed-functional nanocellulose
  wfk-news 1 (2023), 6-8
- FRIEDRICH, T., KNOP, J., HINZMANN, M., SPETTMANN, D., KREDEL, A., BOHNEN, J.
  Hygiene in health care and wellness areas - Twist and shine
  rationell reinigen 1 (2023), 43
- PIEPER, F., SCHMIDT, A., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Brilliant cleanliness thanks to nanocrystals
  WRP 1 (2023), 44

- KARSTENS, R., NEUMANN-SCHMIDT, T., HLOCH, H.G., BOHNEN, J.
  Cleaning of textile floorings based on metallic helical yarns
  WRP 12 (2022), 56-57
- PIEPER, F., SCHMIDT, A., D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Soil release coating for textile floor coverings: Brilliant with small crystals
  rationell reinigen 12 (2022), 51
- KABBECK, T., WEHRL, M., BOHNEN, J.
  At site quantification of fibrin residues on medical instruments
  wfk-news 6 (2022), 9-11
- KNOP, J., HINTZMANN, M., D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Hygiene in healthcare and wellness areas: Monitoring microbiological water quality
  wfk-news 6 (2022), 3-5
- PIEPER, F., SCHMIDT, A., D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Soil release coating for textile floor coverings based on directed-functional nanocellulose
  FRT information 4 (2022), 9-11
- KNOP, J., HINTZMANN, M., D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Hygiene im Gesundheitswesen und in Wellnessbereichen: Mikrobiologische Wasserqualität überwachen
  FRT information 4 (2022), 3-5
- WILHELM, S., SPETTMANN, D., BOHNEN, J.
  Biological degradation of specifically designed polyacrylates
  FRT Information 4 (2022), 6-8
- SPETTMANN, D., BOHNEN, J.
  Biological degradation of specifically designed polyacrylates
  rationell reinigen 11 (2022), 44-45
- KOCH, D., ANTOVIC, D., HINZMANN, M., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Dynamically cross-linked care coating for elastic floorings
  wfk-news 5 (2022), 9-11
- SCHABLITZKI, T., WILHELM, S., SPETTMANN, D., BOHNEN, J.
  Bioimpedimetric monitoring of disinfection processes using polarisable membrane models
  wfk news 5 (2022), 6-8
- KABBECK, T., WEHRL, M., BOHNEN, J.
  Reinigungskontrolle bei medizinischen Instrumenten - Wenn Eiweiß nicht das Gelbe vom Ei ist
  rationell reinigen 10 (2022), 48-51

- SCHABLITZKI, T., SPETTMANN, D., BOHNEN, J.
  Electronic performance indicator for commercial dish-washers
  FRT information 3 (2022), 9-11
- HINZMANN, M., FRIEDRICH, T., BOHNEN, J.
  Bioinspired coatings to improve hygienic safety
  FRT information 3 (2022), 6-8
- KABBECK, T., WEHRL, M., BOHNEN, J.
  At site quantification of fibrin residues on medical instruments
  FRT information 3 (2022), 3-5
- HINZMANN, M., FRIEDRICH, T., BOHNEN, J.
  Sustainable hygiene for resilient floor coverings - bioinspired filming
  rationell reinigen 9 (2022), 20-21
- OBERLEITNER, L., WEHRL, M., BOHNEN, J.
  Monitoring the microbial status of wipe dispensing systems - Catch me if you’re germ
  rationell reinigen 8 (2022), 40-41
- MEESSEN, J., WEHRL, M., BOHNEN, J.
  Detection of hygiene-relevant ESKAPE pathogens – Last germ out, turn off the lights
  rationell reinigen 7 (2022), 23-25
- OBERLEITNER, L., WEHRL, M., BOHNEN, J.
  Catch-Sweep Fluorescence Indicator for Continuous Monitoring of the Microbial Status of Cloth Dispensing Systems
  wfk-news 3 (2022), 9-11
- KABBECK, T., WEHRL, M., BOHNEN, J.
  Duplex amplification method for in-situ rapid detection of hygiene-relevant germs on flexible endoscopes
  FRT information 2 (2022), 9-11
- MEESSEN, J., WEHRL, M., BOHNEN, J.
  Convergent amplification and fluoroswitch-based detection of HAI associated ESKAPE group pathogenes
  FRT information 2 (2022), 6-8
- OBERLEITNER, L., WEHRL, M., BOHNEN, J.
  Catch-Sweep Fluorescence Indicator for Continuous Monitoring of the Microbial Status of Cloth Dispensing Systems
  FRT information 2 (2022), 3-5
- RITTERSKAMP, N., FRIEDRICH, T., BOHNEN, J.
  Automated determination of filming quality - Small particles, big effect
  rationell reinigen 5 (2022), 62-63
- RITTERSKAMP, N., FRIEDRICH, T., BOHNEN, J.
  Magnetosensitive floorcare coatings for resilient floor coverings for automated, process-integrated determination of coating quality
  wfk-news 2 (2022), 9-11

- MEESSEN, J., WEHRL, M., BOHNEN, J.
  Convergent amplification and fluoroswitch-based detection of HAI associated ESKAPE group pathogenes
  wfk-news 2 (2022), 6-8
- KARSTENS, R., HLOCH, H.G., BOHNEN, J.
  Acousto-mechanical cleaning of textile floorings based on metallic helical yarns
  wfk-news 2 (2022), 3-5
- KARSTENS, R., HLOCH, H.G., BOHNEN, J.
  Acoustomechanical cleaning of textile floor coverings - Pushing the dirt out of the carpet
  rationell reinigen 4 (2022), 48-51
- KOCH, D., FRIEDRICH, T., BOHNEN, J.
  Dynamically cross-linked care coating for elastic floorings
  FRT information 1 (2022), 9-11
- RITTERSKAMP, N., FRIEDRICH, T., BOHNEN, J.
  Magnetosensitive floorcare coatings for resilient floor coverings for automated, process-integrated determination of coating quality
  FRT information 1 (2022), 6-8
- KARSTENS, R., HLOCH, H.G., BOHNEN, J.
  Acousto-mechanical cleaning of textile floorings based on metallic helical yarns
  FRT information 1 (2022), 3-5
- WOLF, N., SPETTMANN, D., BOHNEN, J.
  Detection of viral pathogens with scorpion primers -when replication is a bright idea
  rationell reinigen 3 (2022), 54-55
- SCHABLITZKI, T., SPETTMANN, D., BOHNEN, J.
  Self-monitoring of disinfection processes - Process hygiene with a potential
  rationell reinigen 2 (2022), 46-47
- WOLF, N., SPETTMANN, D., BOHNEN, J.
  Low-energy disinfection - With "Plan A" against germs
  rationell reinigen 1 (2022), 40-41
- SCHNEE, M., HLOCH, H.G., BOHNEN, J.
  Artificial intelligence for determining the slip-resistance class of laid elastic floor covering
  wfk-news 1 (2022), 9-11
- KABBECK, T., WEHRL, M., BOHNEN, J.
  Duplex amplification method for in-situ rapid detection of hygiene-relevant germs on flexible endoscopes
  wfk-news 1 (2022), 6-8

- KLÜPPEL, A., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Floorcare coatings from liquid membrane separated complementary phase dispersions
  wfk-news 6 (2021), 10-11
- REINDL, M., SPETTMANN, D., BOHNEN, J.
  Fluorescence quantification of bacterial endospores
  wfk-news 6 (2021), 6-9
- PAULHEIM, A., HLOCH, H.G., BOHNEN, J.
  Inverse streamer corona discharge for dry disinfection of textile floor coverings with electrode pile
  wfk-news 6 (2021), 3-5
- NYSAR, I., WEHRL, M., BOHNEN, J.
  Magnetostrictive snap sensitizing sensor to control the microbiological water quality
  FRT information 4 (2021), 9-11
- REINDL, M., SPETTMANN, D., BOHNEN, J.
  Immobilizable Primers for detection pathogens
  FRT information 4 (2021), 6-8
- ALEXOWSKY, C., SPETTMANN, D., BOHNEN, J.
  Bioimpedimetric monitoring of disinfection processes using polarisable membrane models
  FRT information 4 (2021), 3-5
- PIEPER, F., FRIEDRICH, T., BOHNEN, J.
  Residue-free cleaning of textile floor coverings - Warm in, cold out
  rationell reinigen 12 (2021), 38-39
- KOCH, D., FRIEDRICH, T., BOHNEN, J.
  Care coatings with self-healing powers - Dynamically counter high traffic areas
  rationell reinigen 11 (2021), 48-49
- CASPER, P., NEUMANN-SCHMIDT, T., HLOCH, H.G., BOHNEN, J.
  Plasmabasierte Trockenentschichtung elastischer Bodenbeläge
  wfk-news 5 (2021), 10-11
- PIEPER, F., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Stimulus-amphiphilic surfactant systems for cleaning of textile floor coverings
  wfk-news 5 (2021), 6-7
- REINDL, M., SPETTMANN, D., BOHNEN, J.
  Immobilizable Scorpion Primers for detection of viral pathogens
  wfk-news 5 (2021), 3-5
- SCHNEE, M., HLOCH, H.G., BOHNEN, J.
  Determining slip resistance - Robo-logic instead of inclined plane
  rationell reinigen 10 (2021), 58-59

- ENGELKE, A., ERENBURG, I., WEHRL, M., BOHNEN, J.
  On-demand inactivation of microbial contaminations in damping solutions in off-set printing presses with 3D-printed, biodegradable hydrogels
  FRT information 3 (2021), 9-11
- KLÜPPEL, A., FRIEDRICH, T., BOHNEN, J.
  pH-sociated floorcare coatings for elastic floorings
  FRT information 3 (2021), 6-8
- REINDL, M., SPETTMANN, D., BOHNEN, J.
  Evaluation of disinfection performance of catalytic UVA treatment of weakly microbial contaminated waters
  FRT information 3 (2021), 3-5
- ENGELKE, A., ERENBURG, I., WEHRL, M., BOHNEN, J.
  Biofouling in offset printing presses - Hydrogel against microbial growth
  rationell reinigen 9 (2021), 68-69
- OSSIG, R., HLOCH, H.G., BOHNEN, J.
  Disinfection and deodorisation of textile floor coverings with plasma-activated water vapour during daily maintenance cleaning
  wfk-news 4 (2021), 9-11
- NYSAR, I., WEHRL, M., BOHNEN, J.
  Magnetostrictive snap sensitizing sensor to control the microbiological water quality
  wfk-news 4 (2021), 6-8
- WOLF, N., SPETTMANN, D., BOHNEN, J.
  Evaluation of disinfection performance of catalytic UVA treatment of weakly microbial contaminated waters
  wfk-news 4 (2021), 3-5
- MEESSEN, J., WEHRL, M., BOHNEN, J.
  Detection of hygiene-relevant ESKAPE pathogens - A clever escape forward
  rationell reinigen 7 (2021), 54-55
- ENGELKE, A., ERENBURG, I., WEHRL, M., BOHNEN, J.
  On-demand inactivation of microbial contaminations in damping solutions in offset printing presses with 3D-printed, biodegradable hydrogels
  wfk-news 3 (2021), 6 - 8
- SCHNEE, M., HLOCH, H.G., BOHNEN, J.
  Artificial intelligence for determining the slip-resistance class of laid elastic floor covering
  FRT info 2 (2021), 9-11
- REINDL, M., SPETTMANN, D., BOHNEN, J.
  Fluorescence quantification of bacterial endospores - detection with signal amplification in a DIY approach
  rationell reinigen 6 (2021), 58-59

- PAULHEIM, A., HLOCH, H.G., BOHNEN, J.
  Dry disinfection and deodorization of textile floor coverings with electrode pile – Holy moses! The germs are gone!
  rationell reinigen 5 (2021), 60-61
- WEHRL, M.
  Influence of the eluent on the microorganism recovery rate in endoscope test pieces
  CentralService 5 (2020), 272-277
- WEHRL, M.
  Influence of the eluent on the microorganism recovery rate in endoscope test pieces
  Hygiene & Medizin 4 (2021), D44-D49
- ROEBEN, E., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Quasi liquid coating systems for facades: Easier cleaning of porous materials
  rationell reinigen 4 (2021), 60-61
- KLÜPPEL-HECK, A., STADTMÜLLER, C., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  pH-sociated floorcare coatings for elastic floorings
  wfk-news 2 (2021), 9-11
- SCHMIDT, S., SCHLATTMANN, A., WEHRL, M., BOHNEN, J.
  Quantum dot based electrochemiluminescence for a rapid multiplex detection of hygiene-relevant germs and total germ count
  wfk-news 2 (2021), 6-8
- RIEDEL, R., DRENKOW, F., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  MRSA detection based on up-conversion glassfibres: Gold for recognition
  rationell reinigen 3 (2021), 54-55
- Pieper, F., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Stimulus-amphiphilic surfactant systems for cleaning of textile floor coverings
  FRT information 1 (2021), 10-11
- PAULHEIM, A., HLOCH, H.G., BOHNEN, J.
  Inverse streamer corona discharge for dry disinfection of textile floor coverings with electrode pile
  FRT info 1 (2021), 3-5
- ROEBEN, E., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Quasi liquid coating systems based on trifunctional polymers for the generation of oil and water-repellent surfaces
  wfk-news 1 (2021), 9-11
- ROEBEN, E., ANTOVIC, D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Novel polyurethane coating for elastic floorings: Simple renovation
  rationell reinigen 2 (2021), 51

- KLÜPPEL-HECK, A., STADTMÜLLER, C., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Care coating for elastic floorings: Following nature's example
  rationell reinigen 1 (2021), 48-49
- MEESSEN, J., WEHRL, M., BOHNEN, J.
  Convergent amplification and fluoroswitch detection for hygienically relevant ESKAPE group pathogens
  FRT information 4 (2020), 9-11
- OSSIG, R., NEUMANN-SCHMIDT, T, HLOCH, H.G., BOHNEN, J.
  Disinfection and deodorization of extile floorings with plasma-activated water vapour during daily maintenance cleaning
  FRT information 4 (2020), 6-8
- RINK, V., PFANNMÜLLER, A., WEHRL, M., BOHNEN, J.
  Rapid detection of hygiene-relevant germs on flexible endoscopes
  FRT information 4 (2020), 4-5
- OSSIG, R., NEUMANN-SCHMIDT, T, HLOCH, H.G., BOHNEN, J.
  Disinfection and deodorization with plasma-activated water vapour
  rationell reinigen 12-2020, 46-47
- ROEBEN, E., ANTOVIC, D., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Temperature-connective polyurethane coating for elastic floorings
  wfk-news 6 (2020), 8-9
- MEESSEN, J., WEHRL, M., BOHNEN, J.
  Convergent amplification and fluoroswitch-based detection of HAI associated ESKAPE group pathogens
  wfk-news 6 (2020), 3-5
- SEIDEL, S., RIEDEL, R., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Piezoelectric MRSA detection
  rationell reinigen 11 (2020), 56-57
- RINK, V., PFANNMÜLLER, A., WEHRL, M., BOHNEN, J.
  Duplex amplification method for in situ-rapid detection of hygiene-relevant germs on flexible endoscopes
  wfk-news 5 (2020), 8-9
- RINK, V.
  Real-time hygiene monitor based on stimulus sensitive liposomes
  wfk-news 5 (2020), 10-11
- RINK, V.
  Rapid detection of hygiene-relevant germs on flexible endoscopes - Bringing light into the dark
  rationell reinigen 10 (2020), 58-59
- KLÜPPEL, A.
  pH-sociated floorcare coatings for elastic floorings
  FRT information 3 (2020), 10-11

- SEIDEL, S.
  Piezoelectric MRSA detection under coupling of photoinduced acoustic waves
  FRT information 3 (2020), 8-9
- CASPER, P.
  Plasma-based dry decoating of elastic floorings
  FRT information 3 (2020), 6-7
- HENNIG, G.
  Magnetostrictive snap sensitizing sensor to control the microbiological water
  FRT information 3 (2020), 3-5
- HENNIG, G.
  Control of the microbiological water quality
  Non-contact germ counting with magnetic fields
  rationell reinigen 9 (2020), 56-57
- ALEXOWSKI, C.
  Electronic performance indicator for commercial dishwashers - Keeping control with fast error analysis
  rationell reinigen 07-08 (2020), 54-55
- RIEDEL, R.
  MRSA detection based on upconversion glass fibres
  FRT information 2 (2020), 10-11
- KLÜPPEL, A.
  Floorcare coatings from liquid membrane separated complementary phase dispersions
  FRT information 2 (2020), 8-9
- CASPER, P.
  Shock wave based cleaning method for wet barefoot areas
  FRT information 2 (2020), 3-5
- BOHNEN, J.
  FRT General Assembly on 12 and 13 November 2020 in Mainz
  FRT information 2 (2020), 2
- KLÜPPEL, A.
  Opposites protect the soil -
  Liquid membrane separated complementary phase dispersions
  rationell reinigen 6 (2020), 53
- PRINZ, H., HLOCH, H.G., SPETTMANN, D., BOHNEN, J.
  Plasma-based dry decoating of elastic floorings – The dry-shod-way to re-filming
  rationell reinigen 5 (2020), 54-55
- KOTT, M., SEGHAOUI, M., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Pulling dirt out of the carpet
  rationell reinigen 4 (2020), 46-47

- KOTT, M., SEGHAOUI, M., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Magneto-spumaric particles for residue-free cleaning of textile floor coverings
  wfk-news 2 (2020), 10-11
- SCHLESIER, T., SPETTMANN, D., BOHNEN, J.
  Catalytic aptazyme reporter systems for fungal spore detection
  wfk-news 2 (2020), 3-5
- ALEXOWSKI, C., SPETTMANN, D., BOHNEN, J.
  Electronic performance indicator for commercial dishwashers
  FRT information 1 (2020), 9-11
- SCHLESIER, T., SPETTMANN, D., BOHNEN, J.
  Catalytic aptazyme reporter systems for fungal spore detection
  FRT information 1 (2020), 4-8
- BOHNEN, J.
  FRT General Assembly on 12 and 13 November 2020 in Mainz
  FRT information 1 (2020), 3
- RIEDEL, R., DRENKOW, F., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  MRSA detection based on up-conversion glassfibres
  rationell reinigen 3 (2020), 58-59
- SPETTMANN, D., BOHNEN, J.
  Electronic performance indicator for commercial dishwashers
  wfk-news 1 (2020), 3-5
- CASPER, P., HLOCH, H.G., BOHNEN, J.
  Shock wave based cleaning method for wet barefoot areas – NDW – The New Dirt-Away-Wave
  rationell reinigen 2 (2020), 26-27
- HELLMERT, M., PIEPER, F., SPETTMANN, D., KREDEL, A., FRIEDRICH, T., BOHNEN, J.
  Excited soil removal
  rationell reinigen 1 (2020), 44-45
- OSSIG, R., HLOCH, H.G., SPETTMANN, D., BOHNEN, J.
  Plasma-activated water: Hygienisation of shoes even in hard times
  FRT information 4 (2019), 8-11
- CASPER, P.
  FRT General Assembly 2019
  FRT information 4 (2019), 3-7
- HELLMERT, M., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Light-induced coating and decoating of elastic floor coverings - Spot on: Coating-free
  rationell reinigen 12 (2019), 37

- MEEßEN, J., WEHRL, M., BOHNEN, J
  Gel pads against bad atmosphere – Continuous monitoring oft he hygiene status in HVAc systems
  rationell reinigen 11 (2019), 36-37
- MEEßEN, J., WEHRL, M., BOHNEN, J
  Using ion jelly detectors for continuous monitoring of hygiene status of HVAC systems
  wfk-news 5 (2019), 9-11
- OSSIG, R., HLOCH, H.G., SPETTMANN, D., BOHNEN, J.
  Plasma-activated water: Hygienisation of shoes even in hard times
  wfk-news 5 (2019), 6-8
- HELLMERT, M., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Light-induced coating and decoating of elastic floorings
  FRT information 3 (2019), 6-7
- ACHTEN, A., WEHRL, M., BOHNEN, J
  Real-time hygiene monitor based on stimulus-sensitive vesicles
  rationell reinigen 7 (2019), 70-71
- MEEßEN, J., WEHRL, M., BOHNEN, J.
  Using ion jelly detectors for continuous monitoring of hygiene status of HVAC systems
  FRT information 3 (2019), 8-11
- VATERRODT, A., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Light-induced coating and decoating of elastic floorings
  FRT information 3 (2019), 6-7
- KREDEL, A., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Self-regenerating, fluorine-free, hydrophobic and oleophobic finishing of textile materials based on self-opening micelles
  FRT information 3 (2019), 2-5
- WEUSTER, A., SPETTMANN, D., HLOCH, H.G., BOHNEN, J.
  Shoe hygiene thanks to plasma-activated water vapour - Never again stinky boots
  rationell reinigen 9 (2019), 74-75
- SEIDEL, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Evaluation of surface cleanliness - Automated evaluation using test inks
  rationell reinigen 8 (2019), 38
- ACHTEN, A., WEHRL, M, SPETTMANN, D., BOHNEN, J.
  Real-time hygiene monitor - Magic color change
  rationell reinigen 7 (2019), 70
- KREDEL, A., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Finishing of textiles - Micelle, open up
  rationell reinigen 6 (2019), 52

- SPROTT, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Hygiene in health care and wellness areas - Monitoring the microbiological water quality
  rationell reinigen 5 (2019), 40-41
- VAN DEN BERG, T., THIERFELD, H., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Enzyme-Janus particle indicator for controlling the hygiene status of surfaces
  FRT information 1-2 (2019), 9-11
- BOHNEN, J.
  26th Innovation Day SME of the Federal Ministry of Economic Affairs and Energy
  FRT information 1-2 (2019), 2
- BOHNEN, J.
  Technical Congress Industrial Cleaning, 49th IDC - Challenges & Market Potentials
  FRT information 1-2 (2019), 4-8
- VAN DEN BERG, T., THIERFELD, H., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Controlling the hygiene status of surfaces - Particles with two different faces
  rationell reinigen 4 (2019), 42-43
- SEIDEL, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Photoacoustic monitoring of the coating quality - Making resilient floor coverings buzz
  rationell reinigen 3 (2019), 44-45
- FESEL, P., SPETTMANN, D., BOHNEN, J.
  Early detection system for mould spores in indoor air - Luminous mould spores - Making the invisible visible
  rationell reinigen 2 (2019), 38-39
- CASPER, P.
  FRT – general assembly with exciting lectures
  rationell reinigen 1 (2019), 67-68
- CASPER. P., SPETTMANN, D., HLOCH, H.G., BOHNEN, J.
  Shock wave-based cleaning process for wet barefoot areas
  FRT information 4 (2018), 6-7
- CASPER. P.
  FRT general assembly 2018
  FRT information 4 (2018), 3-5
- CASPER, P., SPETTMANN, D., HLOCH, H.G., BOHNEN, J.
  Shock wave based cleaning process for wet barefoot areas – Death blow for stubborn soiling
  rationell reinigen 12 (2018), 44-45

- KRIEG, M., SEIDEL, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Test system for the evaluation of wettability and surface cleanliness
  FRT information 4 (2018), 8-9
- KRIEG, M., SEIDEL, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Test system for the evaluation of wettability and surface cleanliness
  wfk-news 5 (2018), 8-9
- KAMPE, A., BRILL F.H.H., PFANNMÜLLER A., WEHRL, M.
  Control of cleaning of dental transmission instruments: Challenges posed by chemical residues
  Aseptica 3 (2018)
- WEUSTER, A., HLOCH, H.G., SPETTMANN, D., BOHNEN, J.
  Removal of germs and odours in safety shoes - before it stinks to the sky
  rationell reinigen 9 (2018), 48
- FESEL, P., SPETTMANN, D., BOHNEN, J.
  Detection of fungal spores in ambient air using catalytic aptazyme reporter systems
  FRT information 3 (2018), 7-9
- SPROTT, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Facade-cleaning based on segregating gel networks
  FRT information 3 (2018), 5-7
- SEIDEL, S., KRIEG, M., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Making elastic floor coverings sound: Photoacoustic monitoring of the coating quality of elastic floorings
  FRT information 3 (2018), 3-5
- SEIDEL, S., KRIEG, M., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Making elastic floor coverings sound: Photoacoustic monitoring of the coating quality
  wfk-news 4 (2018), 10-11
- KAMPE, A., BRILL F.H.H., PFANNMÜLLER A., WEHRL, M.
  Control of cleaning of dental transmission instruments: Challenges posed by chemical residues
  Aseptica 3 (2018)
- KRIEG, M., SEIDEL, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Evaluation of surface cleanliness - Easy and simple detection
  rationell reinigen 7 (2018), 46-47
- HELLMERT, M., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Cleanliness due to stimulated soil removal - Stimuli-connective surfactant systems
  rationell reinigen 6 (2018), 52
- MEESSEN, J., WEHRL, M., BOHNEN, J.
  Monitoring of the hygiene of ventilation systems using ion jelly detectors
  FRT information 2 (2018), 9-11

- KRIEG, M., VON KIEDROWSKI, V., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Eavesdropping on microorganisms: Nanovalve nanoparticles for photoacoustic determination of hygienic status on surfaces
  FRT information 2 (2018), 7-8
- HELLMERT, M., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Stimuli-connective surfactant systems for residue-free local soil removal from textile materials
  FRT information 2 (2018), 5-6
- KAMPE, A., WEHRL, M., PFANNMÜLLER, A., BRILL, F.H.H.
  Determination of residual amount of protein in manually processed dental transmission instruments. A method for elimination of matrix effects
  Aufbereitung in der Praxis 2 (2018)
- KRIEG, M., VON KIEDROWSKI, V., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Eavesdropping on microorganisms: Nanovalve nanoparticles for photoacoustic determination of hygienic status on surfaces
  wfk-news 3 (2018), 9-10
- HELLMERT, M., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Stimuli-connective surfactant systems for residue-free local soil removal from textile materials
  wfk-news 3 (2018), 7-8
- FESEL, P., SPETTMANN, D., BOHNEN, J.
  Catalytic Aptazym reporter systems for fungal spore detection
  wfk-news 3 (2018), 5-6
- HEINZE, E., VAN DEN BERG, T., KREDEL, A., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Visible surface wetting - Visual control of cleaning and disinfection processes
  rationell reinigen 4 (2018), 32
- HEINZE, E., VAN DEN BERG, T., KREDEL, A., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Optochemical care coatings for controlling of surface wetting in cleaning and disinfection processes
  wfk-news 2 (2018), 9-10
- SPROTT, S., MISSONG, R., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Efficient soil removal from porous materials - Facade-cleaning based on segregating gel networks
  rationell reinigen 3 (2018), 34-35
- ACHTEN, A., THYSSEN, C., WEHRL, M., SPETTMANN, D., BOHNEN, J.
  Parameter-related process control of disinfection
  FRT information 1 (2018), 9-11

- HEINZE, E., VAN DEN BERG, T., KREDEL, A., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Optochemical care coatings for controlling of surface wetting in cleaning and disinfection processes
  FRT information 1 (2018), 5-6
- ACHTEN, A., THYSSEN, C., WEHRL, M., SPETTMANN, D., BOHNEN, J.
  Parameter-related process control of disinfection
  wfk-news 1 (2018), 9-11
- ACHTEN, A., HEINZE, E., FRIEDRICH, T., SPETTMANN, D., BOHNEN, J.
  Fountain solution preservation offset printing
  rationell reinigen 2 (2018), 37
- ACHTEN, A., THYSSEN, C., WEHRL, M., SPETTMANN, D., BOHNEN, J.
  Parameter-related process control
  rationell reinigen 1 (2018), 36-37
- ACHTEN, A., THYSSEN, C., WEHRL, M., SPETTMANN, D., BOHNEN, J.
  On site self-monitoring of commercial dishwashing processes - a colourful alternative
  rationell reinigen 1 (2018), 36-37
- WEHRL, M., ACHTEN, A.
  Rapid enzymatic test system for the overall process efficacy of automated washer-disinfector processes for thermolabile endoscopes
  Zentralsterilisation 1 (2018), 29–37
- HEINZE, E., KREDEL, A., VAN DEN BERG, T., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Research projects in progress: Optochemical care coatings
  FRT information 4 (2017), 11
- ACHTEN, A., THYSSEN, C., WEHRL, M., SPETTMANN, D., BOHNEN, J.
  Parameter-related process control - IGF 18792 N
  FRT information 4 (2017), 11
- ACHTEN, A. HEINZE, E., FRIEDRICH, T., SPETTMANN, D., BOHNEN, J.
  Fountain solution preservation offset printing - IGF 18892 N
  FRT information 4 (2017), 10
- WAIDMANN, T., VATERRODT, A., HEINZE, E., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Research projects in progress: Light-induced coating and decoating
  FRT information 4 (2017), 10
- KRIEG, M., SPROTT, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Research projects in progress: Nanovalve nanoparticles
  FRT information 4 (2017), 10
- FREY, S., BESCHNITT, S., KRIEG, M., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Research projects in progress: Photoacoustic monitoring coating quality
  FRT information 4 (2017), 10

- VATERRODT, A., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Research projects in progress: Energy efficient air dehumidification hydrogels
  FRT information 4 (2017), 9
- MEESSEN, J., WEHRL, M., BOHNEN, J.
  Monitoring system air-conditioning systems
  FRT information 4 (2017), 9
- SPROTT, S., MISSONG, R., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Research projects in progress: Segregating gel networks
  FRT information 4 (2017), 9
- WEUSTER, A., HLOCH, H.G., SPETTMANN, D., BOHNEN, J.
  Hygienization of safety shoes
  FRT information 4 (2017), 8
- MEESSEN, J., WEHRL, M., BOHNEN, J.
  Monitoring system air-conditioning systems - IGF 19147 N
  FRT information 4 (2017), 6
- CASPER, P.
  FRT general assembly 2017
  FRT information 4 (2017), 3-5
- CASPER, P.
  General meeting with interesting lectures
  rationell reinigen 12 (2017), 75
- SPROTT, S., MISSONG, R., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Facade-cleaning based on segregating gel networks
  wfk-news 6 (2017), 9-11
- WEHRL, M., ACHTEN, A., BOHNEN, J.
  Rapid test system for automated washer-disinfector processes
  Management & Krankenhaus 6 (2017), 27
- VATERRODT, A., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Energy efficient air dehumidification - Air-conditioning systems
  rationell reinigen 11 (2017), 43
- VATERRODT, A., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Energy-efficient air dehumidification based on light sensitive hydrogels
  wfk-news 5 (2017), 5-6
- FREY, S., BESCHNITT, S., KREDEL, A., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Counterionic coating - higher chemical resistance and durability
  FRT information 2 (2017), 10-11
- KRIEG, M., SPROTT, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Nanovalve nanoparticles for photoacoustic determination of hygienic status on surfaces
  wfk-news 2 (2017), 8-9

- CASPER, P.
  Cleaning textiles: Correctly washed and prepared – many factors interact
  Global Cleaning (2017), 48
- ACHTEN, A., HEINZE, E., FRIEDRICH, T., SPETTMANN, D., BOHNEN, J.
  Need-based fountain solution preservation with enzymatically activatable an timicrobial systems for prevention of biofouling in offset printing
  FRT information 3 (2017), 10
- VATERRODT, A., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Energy-efficient air dehumidification based on light sensitive hydrogels
  FRT information 3 (2017), 9
- CASPER, P.
  A common language for all: FRT guidelines and FRT information brochures
  FRT information 3 (2017), 6
- HEINTZ, M.
  Hygienic Reprocessing of Cleaning Textiles - CMS Practice Forum 2017
  FRT information 3 (2017), 5
- CASPER, P.
  FRT at CMS 2017 - Between World Congress and Digitalization
  FRT information 3 (2017), 4
- CASPER, P.
  FRT general meeting on 9 and 10 November 2017 in Augustdorf
  FRT information 3 (2017), 3
- WEHRL, M., ACHTEN, A.
  Rapid enzymatic test system for the overall process efficacy of automated washer-disinfector processes for thermolabile endoscopes
  Hygiene & Medizin 9 (2017), D98–D106
- WEUSTER, A., HLOCH, H.G., SPETTMANN, D., BOHNEN, J.
  Sanitation of shoes with plasma activated water vapour – Fighting smoking shoes
  rationell reinigen 9 (2017) 108
- WEHRL, M.
  A new test for glutaric aldehyde residues – A-OK with no colour
  rationell reinigen 8 (2017) 36
- FREY, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Counter-ionic floor finishes – durable and lasting
  rationell reinigen 7 (2017), 42
- WEUSTER, A., HLOCH, H.G., SPETTMANN, D., BOHNEN, J.
  Disinfection of safety shoes by plasma activated water vapour
  FRT information 2 (2017), 8
- WEHRL, M.
  24th Innovation Day for SME of the BMWi
  FRT information 2 (2017), 6

- WAIDMANN, T., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Lightinduced coating and coating removal on resilient floorings – A mater of wave length
  rationell reinigen 6 (2017), 28
- KRIEG, M., SPROTT, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Hygienic status on surfaces – photoacoustic determination with nano valve nano particles
  rationell reinigen 5 (2017), 54
- KRIEG, M., FRIEDRICH, T., SPETTMANN, D., BOHNEN, J.
  Quality of floor finishes – photoacoustic control
  rationell reinigen 4 (2017), 36
- WEHRL, M.
  Enzymatic comparative test for glutaraldehyde residues on flexible endoscopes
  FRT information 1 (2017), 10
- WAIDMANN, T., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Light-induced coating and decoating of elastic loorings,
  FRT information 1 (2017), 8
- KRIEG, M., FRIEDRICH, T., SPETTMANN, D., BOHNEN, J.
  Nano valve nanoparticles for photoacoustic determination of hygienic status on surfaces
  FRT information 1 (2017), 6
- CASPER, P.
  Technical Congress on 05 April 2017 - Industrial Cleaning
  FRT information 1 (2017), 3
- KOLBE, S., ACHTEN, A., SPETTMANN, D., BOHNEN, J.
  Disinfection in professional dishwashers – Colourful test method for a safe self-monitoring
  rationell reinigen 3 (2017), 40
- CASPER, P.
  Appropriate cleaning and reprocessing of cleaning textiles - Interaction of several factors
  rationell reinigen 02 (2017), 44-47
- KOLBE, S., DUMSCH, I., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Self-monitoring of cleaning and disinfection processes – Determination of microorganisms and germs on surfaces
  rationell reinigen 2 (2017), 35
- FRIEDRICH, T., WAIDMANN, T., SPETTMANN, D., BOHNEN, J.
  Light-induced coating and decoating of elastic floorings
  wfk-news 1 (2017)
- SPROTT, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Facade cleaning – Easily getting rid of dirt on porous materials
  rationell reinigen 1 (2017), 54

- FRIEDRICH, T., SPETTMANN, D., BOHNEN, J.
  Photoacoustic monitoring of coating quality
  wfk-news 6 (2016), 11
- ACHTEN, A., KOLBE, S., SPETTMANN, D., BOHNEN, J.
  Parameter-related process controll of disinfection in commercial dishwashers based on functionalized vesicles
  wfk-news 6 (2016), 10
- SPROTT, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Facade-cleaning based on segregating gel networks
  wfk-news 6 (2016), 8-9
- ACHTEN, A., KOLBE, S., SPETTMANN, D., BOHNEN, J.
  Parameter-related process controll of disinfection in commercial dishwashers based on functionalized vesicles
  FRT information 4 (2016), 11
- FRIEDRICH, T., SPETTMANN, D., BOHNEN, J.
  Photoacoustic monitoring of coating quality
  FRT information 4 (2016), 10
- SPROTT, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Facade-cleaning based on segregating gel networks
  FRT information 4 (2016), 8-9
- KOLBE, S., GERLACH, T., STOLZ, M., SPETTMANN, D., FRIEDRICH, T., WEHRL, M., BOHNEN, J.
  Hygiene “app” for elastic floorings: Renewable antimicrobial peptide primer systems
  FRT information 4 (2016), 6-7
- ACHTEN, A., STOLZ, M., HEINZE, E., WEHRL, M., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J., wfk, Krefeld
  DIETZEL, S., RAUH, W., Fogra Forschungsgesellschaft Druck, München
  Need-based fountain solution preservation with enzymatically activatable antimicrobial systems for preventing of biofouling in offset printing
  wfk-news 5 (2016), 11
- CASPER, P.
  FRT guidelines and information brochures: A common language for all
  rationell reinigen 10 (2016), 36-37
- KOLBE, S., DUMSCH, I., SPETTMANN, D., WEHRL, M., FRIEDRICH, T., BOHNEN, J.
  Biochemical synchronous determination of hygiene relevant microorganisms and total germ count on surfaces
  wfk-news 5 (2016), 8-10
- CASPER, P.
  A common language for all: FRT guidelines and information brochures
  FRT information 3 (2016), 10

- CASPER, P., BOHNEN, J.
  Development of a rapid detection for MRSA – Easy self monitoring method for cleaning service providers
  BauPortal 6 (2016), 79
- CASPER, P., BOHNEN, J.
  Research for practice of cleaning and hygiene technology
  BauPortal 6 (2016), 78
- ACHTEN, A., STOLZ, M., HEINZE, E., WEHRL, M., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J., wfk, Krefeld
  DIETZEL, S., RAUH, W., Fogra Forschungsgesellschaft Druck, München
  Need-based fountain solution preservation with enzymatically activatable antimicrobial systems for preventing of biofouling in offset printing
  FRT information 3 (2016), 9
- KOLBE, S., DUMSCH, I., SPETTMANN, D., WEHRL, M., FRIEDRICH, T., BOHNEN, J.
  Biochemical synchronous determination of hygienic relevant microorganisms and total germ count on surfaces
  FRT information 3 (2016), 6-8
- OSSIG, R., BOHNEN, J.
  Non-thermal atmospheric pressure plasmas for dry decoating – Basic cleaning resilient floorings, (IGF 18035 BG)
  rationell reinigen 9 (2016), 34-35
- HEIMANN, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Checking surface wetting - cleaning and disinfection measures
  rationell reinigen 8 (2016), 54
- WEHRL, M., BOHNEN, J.
  Simply applicable test - disinfection of medical devices
  rationell reinigen 7 (2016), 32
- FREY, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Bilayer coating against permeative soils
  FRT information 2 (2016), 6-7
- HEIMANN, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Optochemical care coatings for controlling of surface wetting in cleaning and disinfection processes
  FRT information 2 (2016), 4-5
- OSSIG, R., HLOCH, H., BOHNEN, J.
  Dry basic cleaning of elastic floorings with atmospheric-pressure plasma
  FRT information 2 (2016), 8-9
- OVERLÖPER, A., SCHNEIDER, R., WEHRL, M., SPETTMANN, D., BOHNEN, J.
  Development of a rapid detection method for MRSA – Simple self-check for cleaning service providers
  FRT information 2 (2016), 10-11

- FREY, S., SPETTMANN, D., FRIEDRICH, T., BESCHNITT, S., BOHNEN, J.
  Slim and resistant - New care coating against permeative soils
  rationell reinigen 6 (2016), 41
- KOLBE, S., FRIEDRICH, T., SPETTMANN, D., BOHNEN, J.
  Renewable antimicrobial peptide primer systems (APP) for resilient floor coverings (hygiene-APP)
  rationell reinigen 5 (2016), 44-45
- SCHNEIDER, R., SPETTMANN, D., BOHNEN, J.
  Method for internal self-control developed - surface disinfection (fluorescence signal)
  rationell reinigen 4 (2016), 38-39
- OVERLÖPER, A., SPETTMANN, D., BOHNEN, J.
  Development of a rapid detection method for MRSA – Simple self-check for cleaning service providers
  rationell reinigen 3 (2016), 41
- ACHTEN, A., WEHRL, M., BOHNEN, J.
  Development of a biocatalytic color indicator system for process control of disinfection in commercial dishwashers
  FRT information 1 (2016), 10-11
- SZILLAT, F., M., BOHNEN, J.
  No pressure – cleaning after printing
  FRT information 1 (2016), 8-9
- SCHNEIDER, R., WEHRL, M., SPETTMANN, D., BOHNEN, J.
  Process control of surface disinfection with functionalized proteoliposomes
  FRT information 1 (2016), 6-7
- POPPE, S., WEHRL, M., BOHNEN, J.
  Enzymatic comparative test for glutaraldehyde residues on flexible endoscopes
  FRT information 1 (2016), 4-5
- MARTEN, G., KOLBE, S., FRIEDRICH, T., BOHNEN, J.
  Biochemical synchronous determination of hygienically relevant microorganisms and total germ count on surfaces
  rationell reinigen 2 (2016), 24-25
- SZILLAT, F.
  Interview about „Water-based cleaning process for printing machine housings“ with Mr. Bähler
  wfk-news 6 (2015), 10
- HOUBEN, A., JACHLEWSKI, W., BOHNEN, J.
  Development of a novel low-temperature sterilization procedure using supercritical carbon dioxide and of compatible nanocomposites for medical devices
  wfk-news 6 (2015), 6-9

- FRIEDRICH, T., BOHNEN, J.
  Segregating gel networks for facade cleaning
  wfk-news 6 (2015), 4-5
- HOUBEN, A., JACHLEWSKI, W., BOHNEN, J.
  Development of a novel low-temperature sterilization procedure using supercritical carbon dioxide and of compatible nanocomposites for medical devices
  FRT information 4 (2015), 8-11
- JACHLEWSKI, W., WEHRL, M., BOHNEN, J.
  Enzymatic comparative test for glutaraldehyde residues on flexible endoscopes
  wfk-news 6 (2015), 3-4
- KOLBE, S., POPPE, S., STRINITZ, F., GERLACH, T., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Hygiene „app“ for elastic floorings: renewable antimicrobial peptide systems
  FRT information 4 (2015), 6-8
- CASPER, P.
  FRT general assembly 2015
  FRT information 4 (2015), 3
- HOUBEN, A., SPETTMANN, D., BOHNEN, J.
  Biofouling in offset printing: printing process and hygiene in focus
  rationell reinigen 11 (2015), 52
- OSSIG, R., HLOCH, H.G.
  Without water due to plasma - decoating of elastic floorings
  rationell reiningen 10 (2015), 32-33
- OSSIG, R., HLOCH, H.G., BOHNEN, J.
  Decoating resilient flooring - without water thanks to plasma
  rationell reinigen 10 (2015), 32
- SCHNEIDER, R., WEHRL, M., SPETTMANN, D., BOHNEN, J.
  Process control of surface disinfection - New quick test is researched
  rationell reinigen 9 (2015), 65
- STRINITZ, F., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Two layers against permeative soils - opposites attract each other
  rationell reinigen 8 (2015), 23
- OVERLÖPER, A., WEHRL, M., SPETTMANN, D., BOHNEN, J.
  Developing an MRSA quick test - Simple self-monitoring
  rationell reinigen 7 (2015), 30
- HOUBEN, A., WEHRL, M., BOHNEN, J.
  Process control of disinfection in dishwashers - Cost-effective alternative
  rationell reinigen 6 (2015), 29

- SZILLAT, F., HLOCH, H.G., BOHNEN, J.
  Water-based cleaning method for printing housings - After printing is ahead of print
  rationell reinigen 5 (2015), 28
- KRIEG, M., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Cleaning heat insulating facades - a protective layer for walls
  rationell reinigen 4 (2015), 26
- JACHLEWSKI, W., KOLBE, S., SPETTMANN, D., FRIEDRICH, T., BOHNEN, J.
  Hygiene „app“ for elastic floorings: renewable antimicrobial peptide systems
  rationell reinigen 3 (2015), 30
- CASPER, P., BOHNEN, J.
  FRT-General Meeting in Versailles
  rationell reinigen 2 (2015), 61
- FRIEDRICH, T., KOLBE, S., SPETTMANN, D., BOHNEN, J.
  Single-step determination – Hygienically relevant microorganisms and total germ count on surfaces
  rationell reinigen 1 (2015), 41
- LAUFS, S., HLOCH, H.G.
  Decoating of elastic floorings – Advantages of non-thermal atmospheric pressure plasma
  rationell reinigen 11 (2014), 58
- FRIEDRICH, T., KOLBE, S., SPETTMANN, D., BOHNEN, J.
  Hygiene „app“ for elastic floorings: renewable antimicrobial peptide systems
  wfk-news 6 (2014), 5-6
- FRIEDRICH, T., KOLBE, S., SPETTMANN, D., BOHNEN, J.
  Biochemical synchronous determination of hygienically relevant microorganisms and total germ count on surfaces
  wfk-news 6 (2014), 3-4
- FRIEDRICH, T., KOLBE, S., SPETTMANN, D., BOHNEN, J.
  Biochemical synchronous determination of hygienically relevant microorganisms and total germ count on surfaces
  FRT information 4 (2014), 5-6
- LAUFS, S., HLOCH, H.G.
  Dry de-coating of elastic floorings by use of non-thermal atmospheric pressure plasmas
  wfk-news 5 (2014) 9-10
- HOUBEN, A., JACHLEWSKI, W., WEHRL, M., BOHNEN, J.
  Low-temperature sterilization of medical devices with supercritical carbon dioxide
  wfk-news 5 (2014), 6-8

- WEHRL, M., HOCHMUTH, T., BOHNEN, J.
  Development of novel bio-resorbable implant materials and of compatible sterilization procedures.
  wfk-news 5 (2014), 5
- HOUBEN, A., JACHLEWSKI, W., WEHRL, M., BOHNEN, J.
  Low-temperature sterilization of medical devices with supercritical carbon dioxide
  FRT information 4 (2014), 7-9
- INFED, N., BOHNEN, J.
  Development of a water-based cleaning process for printing machines
  FRT information 3 (2014)
- HOUBEN, A., RIGBERS, O., SCHLEBUSCH, M., BOHNEN, J.
  Simple and quick: process control of disinfection in commercial dishwashers
  FRT information 3 (2014), 7-8
- FRIEDRICH, T.
  Development of a new method:
  Cleaning and disinfection in low temperature areas
  rationell reinigen 9 (2014), 39
- CASPER, P.
  Ice-cold dirt removal -
  Cleaning of textile floor coverings with carbon dioxide clathrates
  rationell reinigen 8 (2014), 35
- FRIEDRICH, T.
  Soiling and cleaning behavior evaluation -
  Easy-to-clean properties of coil coating surfaces
  rationell reinigen 6 (2014), 44
- RIGBERS, O.
  Hygiene quick test
  Microbial contamination on inhomogeneous wet surfaces
  rationell reinigen 4 (2014), 45
- CASPER, P., BOHNEN, J.
  FRT – an overview
  FRT information 1 (2014), 7
- CASPER, P.
  Reprocessing of cleaning textiles
  FRT information 1 (2014), 6
- SCHLEBUSCH, M.
  Colour indicator for easy process control
  Disinfection in commercial dishwashers
  rationell reinigen 3 (2014), 42

- HURKES, N.
  Breaking up with dirt
  Cleaning of printing machine housings
  rationell reinigen 2 (2014), 40
- FRT
  Improved soil removal:
  Heat-insulating facades with renewable soil release finish
  rationell reinigen 1 (2014), 30
- FRT
  Quick test for cleanliness and hygiene in clean rooms
  rationell reinigen 11 (2013), 36
- FRT
  Right time, right place
  rationell reinigen 10 (2013), 28
- CASPER, P.
  New FRT guideline “Reprocessing of Cleaning Textiles“
  FRT information 3 (2014), 11
- CASPER, P., MAGGAKIS-KELEMEN, C., BOHNEN, J.
  Cleaning of industrial parts – Same-same but green
  rationell reinigen 7 (2014), 40
- CASPER, P., MAGGAKIS-KELEMEN, C., BOHNEN, J.
  Alternative cleaning of industrial parts in dense phase carbon dioxide
  FRT information 2 (2014), 7
- CASPER, P.
  DIN 77400: Minimum standards for cleaning services in school buildings
  FRT information 2 (2014), 11
- CASPER, P.
  Mineral Floorings: Cleaning with care? – Ask the FRT guideline!
  rationell reinigen 5 (2014), 27
- CASPER, P.
  FRT work group on reprocessing of cleaning textiles – It’s worth the effort
  rationell reinigen 5 (2014), 47
- CASPER, P., MAGGAKIS-KELEMEN, C., BOHNEN, J.
  Alternative cleaning of industrial parts in dense phase carbon dioxide
  wfk-news 02 (2014), 9
- CASPER, P.
  Reprocessing of Cleaning Textiles
  FRT information 1 (2014), 6
- CASPER, P., BOHNEN, J.
  FRT - An Overview
  FRT information 1 (2014), 7

- CASPER, P.
  Testing of floor coverings - Standards DIN 51130 and DIN 51131 updated
  FRT information 1 (2014), 10
- FRT
  Elastic floorings
  New Surfaces need new methods and tests
  rationell reinigen 9 (2013), 58
- SIEVERT, S., MAGGAKIS-KELEMEN, C., BOHNEN, J.
  A new blasting method for cleaning of textile floorings with minimal water consumption
  FRT information 3 (2013)
- FRT
  Minimum water use
  Novel blast-cleaning method for cleaning textile floor coverings
  rationell reinigen 8 (2013), 37
- FRT
  Cleaning and disinfection in low temperature areas – coatings for cold storage rooms
  rationell reinigen 7 (2013), 37
- FUCHS, V., WEHRL, M., BOHNEN, J.
  Microbial contamination on wet surfaces – Sponge pads and high-tech analytics for rapid control
  rationell reinigen 6 (2013), 50
- CASPER, P.,
  Reprocessing cleaning textiles: worth the effort?
  wfk-news 03 (2013), 3
- FRT
  Use and buy new? Reprocessing of cleaning textiles Technical congress „Industrial Cleaning“ in the frame of the 46th International Detergency Conference
  rationell reinigen 6 (2013), 52-54
- FRIEDRICH, T., MAGGAKIS-KELEMEN, C., BOHNEN, J.
  Improved soil removal for heat insulating facade materials
  FRT information 2 (2013)
- CASPER, P.
  Reprocessing cleaning textiles: worth the effort?
  wfk-news 3 (2013), 3
- MAGGAKIS-KELEMEN, C.
  Luminiscent floorcare coatings for the rapid determination of coating quality
  wfk-news 3 (2013), 9
- WEHRL, M., BOHNEN, J.
  Quick test for cleaning and disinfection
  wfk-news 3 (2013), 8-10

- SIEVERT, S., MAGGAKIS-KELEMEN, C., BOHNEN, J.
  Cleaning and hygiene of textile floor coverings on the basis of CO_2 clathrates
  wfk-news 3 (2013), 10
- FRT
  Impregnated natural stone floorings – only cleaning or also care needed?
  rationell reinigen 5 (2013), 17
- FRT
  46th International Detergency Conference – divers presentation programme
  rationell reinigen 5 (2013), 72
- FRT
  Thermal insulation façade materials – easy removal of encrustations
  rationell reinigen 4 (2013), 26
- SPETTMANN, D., EHLIG, B., MAGGAKIS-KELEMEN, C., BOHNEN, J.
  Renewable impermeable polymeric coatings for elastic floorings with barrier function against permeative soil components
  Proceedings of the 46th International Detergency Conference, 2013, 348-359
- MAGGAKIS-KELEMEN, C., SIEVERT, S., BOHNEN, J.
  Luminescent care coatings with integrated functionalization for rapid determination of coating quality
  Proceedings of the 46th International Detergency Conference, 2013,360-371
- CASPER, P., NEUMANN-SCHMIDT, T., MAGGAKIS-KELEMEN, C., BOHNEN, J.
  Cleaning industrial parts on the basis of shock waves and ionic liquids in compressed carbon dioxide
  Proceedings of the 46th International Detergency Conference, 2013, 372-385
- SPORENBERG, N., FRIEDRICH, T., SEYFARTH, K., MAGGAKIS-KELEMEN, C., BOHNEN, J.
  Cleaning and disinfection in low temperature areas of the food industry
  Proceedings of the 46th International Detergency Conference, 2013, 862-871
- HEINTZ, MANUEL
  Hygiene aspects during reprocessing and use of cleaning textiles
  Proceedings of the 46th International Detergency Conference, 2013, 932-939
- KOLBE, S., HILGENBERG, B., HOUBEN, A., BOHNEN, J.
  Rapid tests for process control of disinfection
  Proceedings of the 46th International Detergency Conference, 2013, 950-964

- SCHULZ, T., CASPER, P., SPORENBERG, N., MAGGAKIS-KELEMEN, C., BOHNEN, J.
  Cleaning and hygiene of textile floorings by means of CO_2 -clathrates
  Proceedings of the 46th International Detergency Conference, 2013, 966-977
- FRT
  Disinfection in commercial dishwashers – Easy and quick process control
  rationell reinigen 3 (2013), 49
- SIEVERT, S., MAGGAKIS-KELEMEN, C., BOHNEN, J.
  Development of luminescent care coatings with integrated functionalization for rapid determination of the coating quality
  FRT information 1 (2013)
- FRT
  New working group – Reprocessing of mops and wiping cloths
  rationell reinigen 3 (2013), 82
- FRT
  Water-loaded barefoot areas – slip resistance and care
  rationell reinigen 2 (2013), 40
- FRT
  Elastic floorings – glowing floor means a-ok
  rationell reinigen 1 (2013), 29